

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	93823	(determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1)	USPAT	OR	ON	2004/11/19 11:07
S28	763	S27 and load adj balanc\$3	USPAT	OR	ON	2004/11/19 11:06
S29	763	(determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1) and load adj balanc\$3	USPAT	OR	ON	2004/11/19 11:07
S30	93823	((determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1))	USPAT	OR	ON	2004/11/19 12:27
S31	435	(ip adj2 header\$1 with (gateway or rout\$3))	USPAT	OR	ON	2004/11/19 12:27
S32	23	S31 same S30	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:13
S33	1	S32 and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:09
S34	12	fabric adj2 switch with line adj cards	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:14
S35	12	(fabric adj2 switch with line adj cards)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:14
S36	12	(fabric adj2 switch\$1 with line adj cards)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:19
S37	0	S36 same S31	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:14
S38	1688	((switch\$1 or rout\$3 or gateway\$) with line adj cards)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:23

S39	17	S38 and S31	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:23
S41	16	S39 and (buffer\$4 or memor\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:24
S42	9	S41 and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:24
S44	1	("5781715").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/19 12:07
S45	1	"6597656".pn. and ((determin\$3 or select\$3) adj2 (switch\$ or rout\$3 or gateway\$1))	USPAT	OR	ON	2004/11/19 12:42
S46	0	"6795867".pn. and header\$ and port\$ and rout\$3	USPAT	OR	ON	2004/11/19 12:43
S47	0	"6795867".pn. and header\$ and rout\$3	USPAT	OR	ON	2004/11/19 12:43
S48	0	"6795867".pn. and header\$	USPAT	OR	ON	2004/11/19 12:43
S49	1	"6795867".pn. and port\$	USPAT	OR	ON	2004/11/19 12:43
S50	1	"6795867".pn. and port\$ and rout\$3	USPAT	OR	ON	2004/11/19 12:43
S51	1	"6795867".pn. and port\$ and rout\$3 and (select\$ or determin\$ or assign\$)	USPAT	OR	ON	2004/11/19 12:44
S52	0	S51 and generat\$	USPAT	OR	ON	2004/11/19 12:44
S53	1	S51 and add\$3	USPAT	OR	ON	2004/11/19 12:45
S54	1	"6078963".pn. and "107"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 15:39
S55	1	"6628617".pn. and "401"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 17:51
S56	1	((buffer or memor\$3) with fabric near2 switch\$3) same (rout\$3 near2 (data or info\$6) with (generat\$3 or add\$3 or insert\$3))	US-PGPUB; USPAT	OR	ON	2004/11/21 15:35

S57	1	"6078963".pn. and generat\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 15:39
S58	1	"6078963".pn. and generat\$3 and add\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 15:42
S60	0	"6078963".pn. and insert\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 15:42
S61	2	"6078963".pn. and impleme\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:14
S62	1	"6078963".pn. and receiv\$3 and transmit\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:36
S63	2	"6078963".pn. and updat\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:37
S64	1	"6078963".pn. and updat\$ and generat\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:58
S65	2	"6078963".pn. and port\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:58
S66	1	"6628617".pn. and port\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 17:51